



Taking Care of Your Behavioral Health: TIPS FOR SOCIAL DISTANCING, QUARANTINE, AND ISOLATION DURING AN INFECTIOUS DISEASE OUTBREAK

What Is Social Distancing?

Social distancing is a way to keep people from interacting closely or frequently enough to spread an infectious disease. Schools and other gathering places such as movie theaters may close, and sports events and religious services may be cancelled.

What Is Quarantine?

Quarantine separates and restricts the movement of people who have been exposed to a contagious disease to see if they become sick. It lasts long enough to ensure the person has not contracted an infectious disease.

What Is Isolation?

Isolation prevents the spread of an infectious disease by separating people who are sick from those who are not. It lasts as long as the disease is contagious.

Introduction

In the event of an infectious disease outbreak, local officials may require the public to take measures to limit and control the spread of the disease. This tip sheet provides information about **social distancing, quarantine, and isolation**. The government has the right to enforce federal and state laws related to public health if people

within the country get sick with highly contagious diseases that have the potential to develop into outbreaks or pandemics.

This tip sheet describes feelings and thoughts you may have during and after social distancing, quarantine, and isolation. It also suggests ways to care for your behavioral health during these experiences and provides resources for more help.

What To Expect: Typical Reactions

Everyone reacts differently to stressful situations such as an infectious disease outbreak that requires social distancing, quarantine, or isolation. People may feel:

- **Anxiety, worry, or fear** related to:
 - Your own health status
 - The health status of others whom you may have exposed to the disease
 - The resentment that your friends and family may feel if they need to go into quarantine as a result of contact with you
 - The experience of monitoring yourself, or being monitored by others for signs and symptoms of the disease
 - Time taken off from work and the potential loss of income and job security
 - The challenges of securing things you need, such as groceries and personal care items

- **Concern** about being able to effectively care for children or others in your care
- **Uncertainty or frustration** about how long you will need to remain in this situation, and uncertainty about the future
- **Loneliness** associated with feeling cut off from the world and from loved ones
- **Anger** if you think you were exposed to the disease because of others' negligence
- **Boredom and frustration** because you may not be able to work or engage in regular day-to-day activities
- **Uncertainty or ambivalence** about the situation
- **A desire to use alcohol or drugs** to cope
- **Symptoms of depression**, such as feelings of hopelessness, changes in appetite, or sleeping too little or too much
- **Symptoms of post-traumatic stress disorder (PTSD)**, such as intrusive distressing memories, flashbacks (reliving the event), nightmares, changes in thoughts and mood, and being easily startled
- Stay up to date on what is happening, while limiting your media exposure. Avoid watching or listening to news reports 24/7 since this tends to increase anxiety and worry. Remember that children are especially affected by what they hear and see on television.
- Look to credible sources for information on the infectious disease outbreak (see page 3 for sources of reliable outbreak-related information).

BE YOUR OWN ADVOCATE

Speaking out about your needs is particularly important if you are in quarantine, since you may not be in a hospital or other facility where your basic needs are met. Ensure you have what you need to feel safe, secure, and comfortable.

- Work with local, state, or national health officials to find out how you can arrange for groceries and toiletries to be delivered to your home as needed.
- Inform health care providers or health authorities of any needed medications and work with them to ensure that you continue to receive those medications.

If you or a loved one experience any of these reactions for 2 to 4 weeks or more, contact your health care provider or one of the resources at the end of this tip sheet.

Ways To Support Yourself During Social Distancing, Quarantine, and Isolation

UNDERSTAND THE RISK

Consider the real risk of harm to yourself and others around you. The public perception of risk during a situation such as an infectious disease outbreak is often inaccurate. Media coverage may create the impression that people are in immediate danger when really the risk for infection may be very low. Take steps to get the facts:

EDUCATE YOURSELF

Health care providers and health authorities should provide information on the disease, its diagnosis, and treatment.

- Do not be afraid to ask questions—clear communication with a health care provider may help reduce any distress associated with social distancing, quarantine, or isolation.
- Ask for written information when available.
- Ask a family member or friend to obtain information in the event that you are unable to secure this information on your own.

WORK WITH YOUR EMPLOYER TO REDUCE FINANCIAL STRESS

If you're unable to work during this time, you may experience stress related to your job status or financial situation.

- Provide your employer with a clear explanation of why you are away from work.
- Contact the U.S. Department of Labor toll-free at 1-866-4USWAGE (1-866-487-9243) about the Family and Medical Leave Act (FMLA), which allows U.S. employees up to 12 weeks of unpaid leave for serious medical conditions, or to care for a family member with a serious medical condition.
- Contact your utility providers, cable and Internet provider, and other companies from whom you get monthly bills to explain your situation and request alternative bill payment arrangements as needed.
- If approved by health authorities and your health care providers, arrange for your friends and loved ones to bring you newspapers, movies, and books.
- Sign up for emergency alerts via text or email to ensure you get updates as soon as they are available.
- Call SAMHSA's free 24-hour Disaster Distress Helpline at 1-800-985-5990, if you feel lonely or need support.
- Use the Internet, radio, and television to keep up with local, national, and world events.
- If you need to connect with someone because of an ongoing alcohol or drug problem, consider calling your local Alcoholics Anonymous or Narcotics Anonymous offices.

Sources for Reliable Outbreak-Related Information

Centers for Disease Control and Prevention

1600 Clifton Road

Atlanta, GA 30329-4027

1-800-CDC-INFO (1-800-232-4636)

<http://www.cdc.gov>

World Health Organization

Regional Office for the Americas of the World

Health Organization

525 23rd Street, NW

Washington, DC 20037

202-974-3000

<http://www.who.int/en>

CONNECT WITH OTHERS

Reaching out to people you trust is one of the best ways to reduce anxiety, depression, loneliness, and boredom during social distancing, quarantine, and isolation. You can:

- Use the telephone, email, text messaging, and social media to connect with friends, family, and others.
- Talk “face to face” with friends and loved ones using Skype or FaceTime.

TALK TO YOUR DOCTOR

If you are in a medical facility, you may have access to health care providers who can answer your questions. However, if you are quarantined at home, and you're worried about physical symptoms you or your loved ones may be experiencing, call your doctor or other health care provider:

- Ask your provider whether it would be possible to schedule remote appointments via Skype or FaceTime for mental health, substance use, or physical health needs.
- In the event that your doctor is unavailable and you are feeling stressed or are in crisis, call the hotline numbers listed at the end of this tip sheet for support.

USE PRACTICAL WAYS TO COPE AND RELAX

- Relax your body often by doing things that work for you—take deep breaths, stretch, meditate or pray, or engage in activities you enjoy.
- Pace yourself between stressful activities, and do something fun after a hard task.

- Talk about your experiences and feelings to loved ones and friends, if you find it helpful.
- Maintain a sense of hope and positive thinking; consider keeping a journal where you write down things you are grateful for or that are going well.

After Social Distancing, Quarantine, or Isolation

You may experience mixed emotions, including a sense of relief. If you were isolated because you had the illness, you may feel sadness or anger because friends and loved ones may have unfounded fears of contracting the disease from contact with you, even though you have been determined not to be contagious.

The best way to end this common fear is to learn about the disease and the actual risk to others. Sharing this information will often calm fears in others and allow you to reconnect with them.

If you or your loved ones experience symptoms of extreme stress—such as trouble sleeping, problems with eating too much or too little, inability to carry out routine daily activities, or using drugs or alcohol to cope—speak to a health care provider or call one of the hotlines listed to the right for a referral.

If you are feeling overwhelmed with emotions such as sadness, depression, anxiety, or feel like you want to harm yourself or someone else, call 911 or the National Suicide Prevention Lifeline at 1-800-273-TALK (1-800-273-8255).

Helpful Resources

Hotlines

SAMHSA's Disaster Distress Helpline

Toll-Free: 1-800-985-5990 (English and español)

SMS: Text TalkWithUs to 66746

SMS (español): "Hablanos" al 66746

TTY: 1-800-846-8517

Website (English): <http://www.disasterdistress.samhsa.gov>

Website (español): <http://www.disasterdistress.samhsa.gov/espanol.aspx>

SAMHSA's National Helpline

Toll-Free: 1-800-662-HELP (24/7/365 Treatment Referral Information Service in English and español)

Website: <http://www.samhsa.gov/find-help/national-helpline>

National Suicide Prevention Lifeline

Toll-Free (English): 1-800-273-TALK (8255)

Toll-Free (español): 1-888-628-9454

TTY: 1-800-799-4TTY (4889)

Website (English): <http://www.suicidepreventionlifeline.org>

Website (español): <http://www.suicidepreventionlifeline.org/gethelp/spanish.aspx>

Treatment Locator

Behavioral Health Treatment Services Locator

Website: <http://findtreatment.samhsa.gov/locator/home>

SAMHSA Disaster Technical Assistance Center

Toll-Free: 1-800-308-3515

Email: DTAC@samhsa.hhs.gov

Website: <http://www.samhsa.gov/dtac>

**Note: Inclusion or mention of a resource in this fact sheet does not imply endorsement by the Center for Mental Health Services, the Substance Abuse and Mental Health Services Administration, or the U.S. Department of Health and Human Services.*



Coping With Stress During Infectious Disease Outbreaks

What You Should Know

When you hear, read, or watch news about an outbreak of an infectious disease such as Ebola, you may feel anxious and show signs of stress—even when the outbreak affects people far from where you live and you are at low or no risk of getting sick. These signs of stress are normal, and may be more likely or pronounced in people with loved ones in parts of the world affected by the outbreak. In the wake of an infectious disease outbreak, monitor your own physical and mental health. Know the signs of stress in yourself and your loved ones. Know how to relieve stress, and know when to get help.

Know the Signs of Stress

What follows are behavioral, physical, emotional, and cognitive responses that are all common signs of anxiety and stress. You may notice some of them after you learn about an infectious disease outbreak.

YOUR BEHAVIOR:

- An increase or decrease in your energy and activity levels
- An increase in your alcohol, tobacco use, or use of illegal drugs
- An increase in irritability, with outbursts of anger and frequent arguing
- Having trouble relaxing or sleeping
- Crying frequently
- Worrying excessively
- Wanting to be alone most of the time
- Blaming other people for everything
- Having difficulty communicating or listening
- Having difficulty giving or accepting help
- Inability to feel pleasure or have fun

Know When To Get Help

You may experience serious distress when you hear about an infectious disease outbreak, even if you are at little or no risk of getting sick. If you or someone you know shows signs of stress (see list at left) for several days or weeks, get help by accessing one of the resources at the end of this tip sheet. Contact the National Suicide Prevention Lifeline right away if you or someone you know threatens to hurt or kill him- or herself or someone else, or talks or writes about death, dying, or suicide.



Know How To Relieve Stress

You can manage and alleviate your stress by taking time to take care of yourself.

KEEP THINGS IN PERSPECTIVE:

Set limits on how much time you spend reading or watching news about the outbreak. You will want to stay up to date on news of the outbreak, particularly if you have loved ones in places where many people have gotten sick. But make sure to take time away from the news to focus on things in your life that are going well and that you can control.

GET THE FACTS:

Find people and resources you can depend on for accurate health information. Learn from them about the outbreak and how you can protect yourself against illness, if you are at risk. You may turn to your family doctor, a state or local health department, U.S. government agencies, or an international organization. Check out the sidebar on the next page for links to good sources of information about infectious disease outbreaks.

KEEP YOURSELF HEALTHY:

- Eat healthy foods, and drink water.
- Avoid excessive amounts of caffeine and alcohol.
- Do not use tobacco or illegal drugs.
- Get enough sleep and rest.
- Get physical exercise.

YOUR BODY:

- Having stomachaches or diarrhea
- Having headaches and other pains
- Losing your appetite or eating too much
- Sweating or having chills
- Getting tremors or muscle twitches
- Being easily startled

YOUR EMOTIONS:

- Being anxious or fearful
- Feeling depressed
- Feeling guilty
- Feeling angry
- Feeling heroic, euphoric, or invulnerable
- Not caring about anything
- Feeling overwhelmed by sadness

YOUR THINKING:

- Having trouble remembering things
- Feeling confused
- Having trouble thinking clearly and concentrating
- Having difficulty making decisions

USE PRACTICAL WAYS TO RELAX:

- Relax your body often by doing things that work for you—take deep breaths, stretch, meditate, wash your face and hands, or engage in pleasurable hobbies.
- Pace yourself between stressful activities, and do a fun thing after a hard task.
- Use time off to relax—eat a good meal, read, listen to music, take a bath, or talk to family.
- Talk about your feelings to loved ones and friends often.



Take care of your physical health to help lower your stress. Take a break to focus on positive parts of your life, like connections with loved ones.

PAY ATTENTION TO YOUR BODY, FEELINGS, AND SPIRIT:

- Recognize and heed early warning signs of stress.
- Recognize how your own past experiences affect your way of thinking and feeling about this event, and think of how you handled your thoughts, emotions, and behavior around past events.
- Know that feeling stressed, depressed, guilty, or angry is common after an event like an infectious disease outbreak, even when it does not directly threaten you.
- Connect with others who may be experiencing stress about the outbreak. Talk about your feelings about the outbreak, share reliable health information, and enjoy conversation unrelated to the outbreak, to remind yourself of the many important and positive things in your lives.
- Take time to renew your spirit through meditation, prayer, or helping others in need.

Sources for Credible Outbreak-Related Health Information

Centers for Disease Control and Prevention
1600 Clifton Road
Atlanta, GA 30329-4027
1-800-CDC-INFO (1-800-232-4636)
<https://www.cdc.gov>

World Health Organization
Regional Office for the Americas of the World Health Organization
525 23rd Street, NW
Washington, DC 20037
202-974-3000
<http://www.who.int/en>

Helpful Resources

Substance Abuse and Mental Health Services Administration
(SAMHSA)

5600 Fishers Lane

Rockville, MD 20857

Toll-Free: 1-877-SAMHSA-7 (1-877-726-4727)

Email: info@samhsa.hhs.gov

SAMHSA Store: <https://store.samhsa.gov>

SAMHSA Hotlines

SAMHSA's Disaster Distress Helpline

Toll-Free: 1-800-985-5990 (English and español)

SMS: Text TalkWithUs to 66746

SMS (español): "Hablanos" al 66746

TTY: 1-800-846-8517

Website in English: [https://](https://www.disasterdistress.samhsa.gov)

www.disasterdistress.samhsa.gov

Website in Spanish: [https://www.samhsa.gov/find-help/](https://www.samhsa.gov/find-help/disaster-distress-helpline/espanol)

[disaster-distress-helpline/espanol](https://www.samhsa.gov/find-help/disaster-distress-helpline/espanol)

SAMHSA's National Helpline

Toll-Free: 1-800-662-HELP (24/7/365 Treatment Referral
Information Service in English and español)

Website: <https://www.samhsa.gov/find-help/national-helpline>

National Suicide Prevention Lifeline

Toll-Free: 1-800-273-TALK (1-800-273-8255)

Toll-Free (español): 1-888-628-9454

TTY: 1-800-799-4TTY (1-800-799-4889)

Website in English: [https://](https://www.suicidepreventionlifeline.org)

www.suicidepreventionlifeline.org

Website in Spanish: [https://](https://suicidepreventionlifeline.org/help-yourself/en-espanol)

suicidepreventionlifeline.org/help-yourself/en-espanol

Treatment Locator

Behavioral Health Treatment Services Locator

Website: <https://findtreatment.samhsa.gov/locator/home>

SAMHSA Disaster Technical Assistance Center

Toll-Free: 1-800-308-3515

Email: DTAC@samhsa.hhs.gov

Website: <https://www.samhsa.gov/dtac>

**Note: Inclusion of a resource in this fact sheet does not imply endorsement by the Center for Mental Health Services, the Substance Abuse and Mental Health Services Administration, or the U.S. Department of Health and Human Services.*